



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/766,723	01/22/2001	Jeffrey B. Hoke	3912E	2047
48226	7590		(DIV)ENG0019-00DV	
EXAMINER				
CONLEY, SEAN EVERETT				
ART UNIT		PAPER NUMBER		
1797				
NOTIFICATION DATE		DELIVERY MODE		
09/21/2009		ELECTRONIC		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

[linda.komorowski@basf.com](mailto:linda.komorowski@basf.com)

[USPTONotices@basf.com](mailto:USPTONotices@basf.com)

[sonny.nkansa@basf.com](mailto:sonny.nkansa@basf.com)



## UNITED STATES DEPARTMENT OF COMMERCE

## U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
09766723	1/22/2001	HOKE ET AL.	3912E (DIV)/ENG0019-

00DV

BASF CATALYSTS LLC  
100 CAMPUS DRIVE  
FLORHAM PARK, NJ 07932

## EXAMINER

SEAN E. CONLEY

## ART UNIT PAPER

1797

20090915

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

## Commissioner for Patents

Below is a correction to the Examiner's Answer mailed on 9/3/2009. A reference relied upon in the rejection was not listed in the Evidence Relied Upon Section (section 8 of the Examiner's Answer). Section 8 should read as follows:

U.S. Pat. 5,711,071	FROMSON	1-1998
U.S. Pat. 5,620,672	GALLIGAN et al.	4-1997
DE 4007964A1	HAGER	9-1991
EP 634205A1	BEITZ et al.	1-1995

Please note the above change.

/Sean E Conley/  
AU 1797

/Sean E Conley/  
Primary Examiner, Art Unit 1797